

PLEASE indicate reporting year and your jurisdiction in Line 1, above.

PLEASE refer to the INSTRUCTIONS tab for assistance filling out this table.

NOTE: For clarification on how to answer questions, place cursor over cells with red flags.

NOTE: Please answer all questions.

PLEASE review your work for completeness and accuracy. Save this worksheet as you go!

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
1.	Attached annual written update of Permittee’s Stormwater Management Program (SWMP), including applicable requirements under S5.A.2 and S9?	Y		Report is attached	City of Sammamish 2011 Stormwater Management Program (SWMP)
2.	Attached a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee’s geographic area of permit coverage during the reporting period, and implications for the SWMP as per S9.E.3?	N/A			
3.	Implemented an ongoing program for gathering, tracking, maintaining, and using information to evaluate SWMP development, implementation and permit compliance and to set priorities? (S5.A.3)	Y			
4.	Began tracking costs or estimated costs of the development and implementation of the SWMP? (<i>Required</i> no later than January 1, 2009, S5.A.3.a)	Y			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
5.	SWMP includes an education program aimed at residents, businesses, industries, elected officials, policy makers, planning staff and other employees of the Permittee? (<i>Required to begin</i> by February 15, 2009, S5.C.1)	Y			
6.	Distributed appropriate information to target audiences identified in the area served by the MS4? (<i>Required to begin</i> by February 15, 2009, S5.C.1.a)	Y			
7.	Tracked the types of public education and outreach activities implemented. (<i>Required to begin</i> by February 15, 2009, S5.C.1.c)	Y			
7b.	Number of activities implemented:		23		
8.	Measured the understanding and adoption of the targeted behaviors among at least one targeted audience in at least one subject area. (<i>Required to begin</i> by February 15, 2009, S5.C.1.b)	Y			
9.	Provided opportunities for the public to participate in the decision making processes involving the development, implementation and updates of the Permittee's SWMP? (<i>Required</i> by February 15, 2008, S5.C.2.a)	Y			
10.	Developed and implemented a process for public involvement and consideration of public comments on the SWMP? (<i>Required</i> by February 15, 2008, S5.C.2.a)	Y			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
11.	Made the most current version of the SWMP available to the public. (S5.C.2.b)	Y			
12.	Posted the SWMP and latest annual report on your website. (S5.C.2.b)	Y			
12b.	NOTE website address in <i>Attachment</i> field:	y		http://www.ci.sammamish.wa.us/departments/publicworks/StormWaterManagement.aspx	
13.	Initiated or implemented an ongoing program to detect and remove illicit connections and illegal discharges into the Permittee's MS4? (Required August 19, 2011, S5.C.3)	Y			
14.	Developed and currently maintain a map of your MS4? (Required by February 16, 2011, S5.C.3.a)	N		The City currently has a partial map of the stormwater system. The City has hired a temp employee to address the mapping deficiency.	
14b.	Initiated a program to develop and maintain a map of all connections to the MS4 authorized or allowed by the Permittee after the Permit effective date? (S5.C.3.a.ii)	Y		The City incorporated in 1999, and is working on obtaining all as-builts from the County. The as-builts are being scanned in preparation for digitizing them into our GIS inventory. All new developments are currently scanned into our digital inventory.	
15.	Map shows the location of all known municipal separate storm sewer outfalls, receiving waters and structural stormwater BMPs owned, operated, or maintained by the Permittee? (Required by February 16, 2011, S5.C.3.a.i)	N		The City still utilizes King County's IMAP system for our facilities, but we were recently given a box of Old/Offs from the County. Old/Offs are facilities that were never formerly accepted, so they haven't been mapped yet.	
16.	Map shows all storm sewer outfalls with a 24 inch nominal diameter or larger, or an equivalent cross-sectional area for non-pipe systems and includes tributary conveyances, associated drainage areas and land use? (Required by February 16, 2011, S5.C.3.a.i)	N		The City of Sammamish has only a few outfalls that are 24" in size. They are almost exclusively associated with large developments. Their tributary areas and land uses are essentially maps of the developments.	

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
17.	Map shows geographic areas served by the Permittee's MS4 that do not discharge stormwater to surface waters? (<i>Required</i> by February 16, 2011, S5.C.3.a.iii)	N		Currently, the City includes infiltration facilities on our facility mapping.	
18.	Map has been made available upon request? (S5.C.3.a.iv)	Y		The existing mapping, mostly paper in form, is available upon request.	
19.	Developed and implemented regulatory actions necessary to effectively prohibit non-stormwater, illicit discharges into the Permittee's MS4? (<i>Required</i> by August 15, 2009, S5.C.3.b)	Y			
20.	Developed and implemented an ongoing program to detect and address non-stormwater illicit discharges, including spills, and illicit connections into the Permittee's MS4? (<i>Required</i> by August 19, 2011, S5.C.3.c)	Y			
21.	Developed procedures for locating priority areas likely to have illicit discharges, including at a minimum: evaluating land uses and associated business/industrial activities present; areas where complaints have been registered in the past; and areas with storage of large quantities of materials that could result in illicit discharges, including spills? (<i>Required</i> by August 19, 2011, S5.C.3.c.i)	Y			

Question	Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
22. Implemented field assessment activities, including visual inspection of priority outfalls identified during dry weather, and for the purposes of verifying outfall locations, identifying previously unknown outfalls, and detecting illicit discharges. (<i>Required</i> by August 19, 2011, S5.C.3.c.ii)	Y			
23. Prioritized receiving waters for visual inspection? (<i>Required</i> by February 16, 2010, S5.C.3.c.ii)	Y			
24. Conducted field assessments for three high priority water bodies? (<i>Required</i> by February 16, 2011, S5.C.3.c.ii)	Y			
25. Conducted field assessments on at least one high priority water body? (<i>Required</i> annually after February 16, 2011, S5.C.3.c.ii)	Y			
26. Developed and implemented procedures for characterizing the nature of, and potential public or environmental threat posed by, any illicit discharges found by or reported to the Permittee? (<i>Required</i> by August 19, 2011, S5.C.3.c.iii)	Y			
27. Developed and implemented procedures for tracing the source of an illicit discharge; including visual inspections, and when necessary, opening manholes, using mobile cameras, collecting and analyzing water samples, and/or other detailed inspection procedures? (<i>Required</i> by August 19, 2011, S5.C.3.c.iv)	Y			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
28.	Developed and implemented procedures for removing the source of the discharge, including notification of appropriate authorities; notification of the property owner; technical assistance for eliminating the discharge; follow-up inspections; and escalating enforcement and legal actions if the discharge is not eliminated? (<i>Required</i> by August 19, 2011, S5.C.3.c.v.)	Y			
29.	Informed public employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste? (<i>Required</i> by August 19, 2011, S5.C.3.d)	Y			
30.	Distributed appropriate information to target audiences identified pursuant to S5.C.1? (<i>Required</i> by August 19, 2011, S5.C.3.d.i)	Y			
31.	Publicized a hotline or other local telephone number for public reporting of spills and other illicit discharges? (<i>Required</i> by February 15, 2009, S5.C.3.d.ii)	Y			
31b.	Number of hotline calls received:		0		
31c.	Number of follow-up actions taken in response to calls:		0		
32	Maintained a hotline or other reporting number for public reporting of illicit discharges, including spills? (<i>Required</i> by February 15, 2009, S5.C.3.d.ii)	Y			
32b.	NOTE hotline number in <i>Comments</i> field	y		425-295-0500	
33	Tracked the number of illicit discharges, including spills, identified? (<i>Required</i> by August 19, 2011, S5.C.3.e)	Y			

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
33b.	Number of illicit discharges identified:		1		
34	Tracked the number of inspections made for illicit connections? (<i>Required</i> by August 19, 2011, S5.C.3.e)	Y			
34b.	Number of inspections:		1		
35	Received feedback from IDDE public education efforts? (<i>Required</i> by August 19, 2011, S5.C.3.e)	Y			City of Sammamish 2011 Annual Report Attachment
36	Attached report on IDDE public education efforts? (<i>Required</i> by August 19, 2011, S5.C.3.d, S5.C.3.e)	Y			City of Sammamish 2011 Annual Report Attachment
37	Municipal field staff responsible for identification, investigation, termination, cleanup, and reporting of illicit discharges, improper disposal and illicit connections are trained to conduct these activities? (<i>Required</i> by August 15, 2009, S5.C.3.f.i)	Y			
37b.	Number of trainings provided:		1		
37c.	Number of staff trained:		2		
38	Provided follow-up training as needed to address changes in procedures, techniques or requirements? (<i>Required</i> by August 15, 2009, S5.C.3.f.i)	Y			
38b.	Number of trainings provided:		0		
38c.	Number of staff trained:		0		

Question	Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
39	Developed and implemented an ongoing training program on the identification of an illicit discharge/connection, and on the proper procedures for reporting and responding to the illicit discharge/ connection for all municipal field staff, which, as part of their normal job responsibilities, might come into contact with or otherwise observe an illicit discharge or illicit connection to the storm sewer system? <i>(Required by February 16, 2010, S5.C.3.f.ii.)</i>	Y		
39b.	Number of trainings provided:	1		
39c.	Number of staff trained:	20		
40	Developed, implemented and enforced a program to reduce pollutants in stormwater runoff to a regulated small MS4 from new development, redevelopment and construction site activities? <i>(Required by February 16, 2010, S5.C.4)</i>	Y		
41	Applied stormwater runoff program to all sites that disturb a land area 1 acre or greater, including projects less than one acre that are part of a larger common plan of the development or sale? <i>(Required by February 16, 2010, S5.C.4)</i>	Y		
42	Applied stormwater runoff program to private and public development, including roads? <i>(Required by February 16, 2010, S5.C.4)</i>	Y		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, <u>if applicable</u>
43	Applied the Technical Thresholds in Appendix 1 to all sites 1 acre or greater, including projects less than one acre that are part of a larger common plan of the development or sale? (<i>Required</i> by February 16, 2010, S5.C.4)	Y			
44	Adopted and implemented regulatory mechanism (such as an ordinance) necessary to address run-off from new development, redevelopment and construction site activities? (<i>Required</i> by February 16, 2010, S5.C.4.a)	Y			
45	Retained existing local requirements to apply stormwater controls at smaller sites or at lower thresholds than required pursuant to S5.C.4? (S5.A.4)	Y			
46	The ordinance or other enforceable mechanism includes the minimum requirements, technical thresholds, and definitions in Appendix 1 (or an equivalent approved by Ecology under the NPDES Phase I Municipal Stormwater Permit) for new development, redevelopment, and construction sites? (<i>Required</i> by February 16, 2010, S5.C.4.a.i)	Y			
47	The ordinance or other enforceable mechanism includes exceptions and variance criteria equivalent to those in Appendix 1? (<i>Required</i> by February 16, 2010, S5.C.4.a.i., and Section 6 of Appendix 1)	Y			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
48	Were exceptions or variances to the minimum requirements in Appendix 1 granted? (Required by February 16, 2010, S5.C.4.a.i., and Section 6 of Appendix 1)	N			
48b.	If so, how many were granted?		0		
49	The ordinance or other enforceable mechanism includes a site planning process and BMP selection and design criteria that, when used to implement the minimum requirements in Appendix 1 (or equivalent approved by Ecology under the Phase I Permit) will protect water quality, reduce the discharge of pollutants to the maximum extent practicable and satisfy the State requirement under Chapter 90.48 RCW to apply all known, available and reasonable methods of prevention, control and treatment (AKART) prior to discharge? (Required by February 16, 2010, S5.C.4.a.ii)	Y			
49b.	Cite documentation to meet this requirement in Attachment field:	Y		SMC Title 13	
50	The ordinance or other enforceable mechanism provides the legal authority, through the approval process for new development, to inspect private stormwater facilities that discharge to the Permittee's MS4? (Required by February 16, 2010, S5.C.4.a.iii)	Y		Currently, Sammamish has these provisions in the 1998 KCSWDM, and will continue to use such mechanisms when the 2009 KCSWDM is adopted.	

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
51	The ordinance or other enforceable mechanism allows non-structural preventive actions and source reduction approaches such as Low Impact Development (LID) Techniques to minimize the creation of impervious surfaces and minimize the disturbance of native soils and vegetation? (<i>Required</i> by February 16, 2010, S5.C.4.a.iv)	Y		The City of Sammamish has a voluntary LID ordinance.	
52	If the ordinance or regulatory mechanism allows construction sites to apply the Erosivity Waiver in Appendix 1, Minimum Requirement #2, does it include appropriate, escalating enforcement sanctions for construction sites that provide notice to the Permittee of their intention to apply the waiver but do not meet the requirements (including timeframe restrictions, limits on activities that result in non-stormwater discharges, and implementation of appropriate BMPs to prevent violations of water quality standards) to qualify for the waiver? (If waiver is allowed, the qualification is <i>required</i> by February 16, 2010, S5.C.4.a.v)	N/A		The City of Sammamish does not allow	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
53	Developed and implemented a permitting process to address runoff from new development, redevelopment and construction site activities with plan review, inspection, and enforcement capability? <i>(Required by February 16, 2010, S5.C.4.b)</i>	Y		Currently, Sammamish has a permitting process that uses the 1998 KCSWDM, and will be using the 2009 KCSWDM after adoption.	
54	Applied permitting process to all sites that disturb a land area 1 acre or greater, including projects less than one acre that are part of a larger common plan of the development or sale? <i>(Required by February 16, 2010, S5.C.4.b)</i>	Y		Currently, Sammamish applies a permitting process to all sites, and will use the 2009 KCSWDM in its permitting process after adoption.	
55	Reviewed Stormwater Site Plans for new development and redevelopment projects? <i>(Required by February 16, 2010, S5.C.4.b.i)</i>	Y		Sammamish has reviewed site plans for all development using the 1998 KCSWDM, and will be using the 2009 KCSWDM after adoption.	
55b.	Number of site plans reviewed during the reporting period:		177		
56	Inspected, prior to clearing and construction, all known development sites that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 Determining Construction Site Sediment Potential? <i>(Required by February 16, 2010, S5.C.4.b.ii)</i>	Y		Currently, Sammamish has a program in place that inspects the clearing limits to all large developments prior to clearing and grading.	
56b.	Number of qualifying sites inspected prior to clearing and construction during the reporting period:		7		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
57	Inspected construction-phase stormwater controls at all known permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls? (<i>Required</i> by February 16, 2010, S5.C.4.b.iii)	Y			
57b.	Number of sites inspected during the construction phase for the reporting period:		301		
58	Enforced as necessary based on the inspection at new development and redevelopment projects? (<i>Required</i> by February 16, 2010, S5.C.4.b.iii)	Y			
58b.	Number of enforcement actions taken during the reporting period:		45		
59	Inspected qualifying permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater controls such as stormwater facilities and structural BMPs? (<i>Required</i> by February 16, 2010, S5.C.4.b.iv and v)	Y			
59b.	Number of qualifying sites known during the reporting period:		3		
59c.	Number of qualifying sites inspected during the reporting period:		3		
60	Verified a maintenance plan is completed and responsibility for maintenance is assigned for qualifying projects? (<i>Required</i> by February 16, 2010, S5.C.4.b.iv)	Y			

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
61	Enforced regulations as necessary based on the inspection? (<i>Required</i> by February 16, 2010, S5.C.4.b.iv)	Y			
61b.	Number of enforcement actions taken during the reporting period:		7		
62	Developed and implemented an enforcement strategy to respond to issues of non-compliance with the regulations for qualifying projects? (<i>Required</i> by February 16, 2010, S5.C.4.b.vi)	Y			
63	Did the Permittee choose to allow construction sites to apply the Erosivity Waiver in Appendix 1, Minimum Requirement #2? (S5.C.4.b.vii)	N/A		The City of Sammamish does not have Erosivity Waivers	
63b.	If yes, how many waivers were allowed ?		0		
64	Developed and implemented a long-term operation and maintenance (O&M) program for post-construction stormwater facilities and BMPs? (<i>Required</i> by February 16, 2010, S5.C.4.c)	Y			
65	Adopted an ordinance or other regulatory mechanism that clearly identifies the party responsible for maintenance, requires inspection of facilities and establishes enforcement procedures? (<i>Required</i> by February 16, 2010, S5.C.4.c.i)	Y			
66	Inspected post-construction stormwater controls, including structural BMPs, at new development and redevelopment projects? (<i>Required</i> by February 16, 2010, S5.C.4.c)	Y			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
66b.	Number of sites inspected during the reporting period:		225		
66c.	Number of structural BMPs inspected during the reporting period:		288		
66d.	Number of enforcement actions taken during the reporting period:		192		
67	Established maintenance standards that are as protective, or more protective, of facility function as those specified in Chapter 4 of Volume V of the 2005 Stormwater Management Manual for Western Washington ? (<i>Required</i> by February 16, 2010, S5.C.4.c.ii)	Y			
68	Performed timely maintenance as per S5.C.4.c.ii? (<i>Required</i> by February 16, 2010, S5.C.4.c.ii)	Y			
68b.	Attached documentation of any maintenance delays. (<i>Required</i> by February 16, 2010, S5.C.4.c.ii)	N/A			
69	Established program to annually inspect all stormwater treatment and flow control facilities (other than catch basins) permitted by the Permittee according to S5.C.4.b. unless there are maintenance records to justify a different frequency? (<i>Required</i> by February 16, 2010, S5.C.4.c.iii)	Y			
70	If using reduced inspection frequency, Attached documentation as per S5.C.4.c.iii? (<i>Required</i> by February 16, 2010, S5.C.4.c.iii)	Y			City of Sammamish 2011 Annual Report Attachment

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
71	Inspected all new stormwater treatment and flow control facilities owned or operated, including catch basins, for new residential developments that are a part of a larger common plan of development or sale, every 6 months during the period of heaviest house construction (i.e., 1 to 2 years following subdivision approval) to identify maintenance needs and enforce compliance with maintenance standards as needed? (<i>Required</i> by February 16, 2010, S5.C.4.c.iv)	Y			
71b.	Number of facilities inspected during the reporting period:		7	facilities need inspections. Phasing was implemented in response to the need to reduce	
72	Implemented a procedure for keeping records of inspections and enforcement actions by staff, including inspection reports, warning letters, notices of violations, other enforcement records, maintenance inspections and maintenance activities? (<i>Required</i> by February 16, 2010, S5.C.4.d)	Y		costs so that other services could be funded. Since developing the inspection program in the	
73	Provided copies of the Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity to representatives of proposed new development and redevelopment? (S5.C.4.e)	Y		early 1980s, the County has kept records of the maintenance needs and history of over	

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
74	All staff responsible for implementing the program to control stormwater runoff from new development, redevelopment, and construction sites, including permitting, plan review, construction site inspections, and enforcement were trained to conduct these activities? <i>(Required by February 16, 2010, S5.C.4.f)</i>	Y		1,000 flow control and water quality treatment facilities in the inventory. The data show that	
74b.	Number of trainings provided:		1	for a facility that was not maintenance prone, the time between inspections could be	
74c.	Number of staff trained:		20	lengthened to a maximum of three years with no loss of function	
75	Developed and implemented an operations and maintenance (O&M) program that includes a training component and has the ultimate goal of preventing or reducing pollutant runoff from municipal operations? <i>(Required by February 16, 2010, S5.C.5)</i>	Y		lengthened to a maximum of three years with no loss of function	
76	Adopted maintenance standards as protective, or more protective, of facility function as those specified in Chapter 4 of Volume V of the 2005 <i>Stormwater Management Manual for Western Washington</i> ? <i>(Required by February 16, 2010, S5.C.5.a)</i>	Y		City of Sammamish uses the maintenance standards contained within the 2009 KCSWDM.	
77	Performed timely maintenance as per S5.C.5.a.ii? <i>(Required by February 16, 2010, S5.C.5.a.ii)</i>	Y			
77b.	Attached documentation of any maintenance delays. <i>(Required by February 16, 2010, S5.C.5.a.ii)</i>	N/A			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
78	Established a program to annually inspect and maintained all stormwater treatment and flow control facilities (other than catch basins)? <i>(Required by February 16, 2010, S5.C.5.c.iii)</i>	Y			
78b.	Number of known facilities:		468		
78c.	Number of facilities inspected during the reporting period:		225		
79	If using reduced inspection frequency, Attached documentation as per S5.C.5.a.ii? <i>(Required by February 16, 2010, S5.C.5.b)</i>	N/A		Using adequate length of maintenance records, no letter of explanation needed.	
80	Conducted spot checks of stormwater facilities after major storms? <i>(Required by February 16, 2010, S5.C.5.c)</i>	N/A			
80b.	Number of known facilities:		366		
80c.	Number of facilities inspected during the reporting period:		0		
81	Inspected municipally owned or operated catch basins at least once before the end of the Permit term? <i>(Required to begin by February 16, 2010, S5.C.5.d)</i>	Y			
81b.	Number of known catch basins:		5047		
81c.	Number of inspections:		1845		
81d.	Number of catch basins cleaned:		1845		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
82	Established and implemented practices to reduce stormwater impacts associated with runoff from streets, parking lots, roads or highways owned or maintained by the Permittee, and road maintenance activities conducted by the Permittee? <i>(Required by February 16, 2010, S5.C.5.f)</i>	Y			
83	Established and implemented policies and procedures to reduce pollutants in discharges from all lands owned or maintained by the Permittee and subject to this Permit, including but not limited to: parks, open space, road right-of-way, maintenance yards, and stormwater treatment and flow control facilities? <i>(Required by February 16, 2010, S5.C.5.g)</i>	Y			
84	Implemented an operations and maintenance (O&M) program that includes a training component and has the ultimate goal of preventing or reducing pollutant runoff from municipal operations? <i>(Required by February 16, 2010, S5.C.5.h.)</i>	Y			
84b.	Number of trainings provided:		1		
84c.	Number of staff trained:		20		

Question	Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
85 Implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under the Industrial Stormwater General Permit? (Required by February 16, 2010, S5.C.5.i)	Y			
86 Is there an approved Total Maximum Daily Load (TMDL) applicable to stormwater discharges from a MS4s owned or operated by the Permittee?	N			
87 Complied with the specific requirements identified in Appendix 2? (S7.A)	N/A			
88 Attached status report of TMDL implementation? (S7.A)	N/A			
89 Where monitoring was required in Appendix 2, did you conduct the monitoring according to an approved Quality Assurance Project Plan? (S7.A)	N/A			
90 Took appropriate action to correct or minimize discharges into or from the MS4 which may constitute a threat to human health, welfare, or the environment? (G3)	N/A			
90b. Attached a summary of the status of implementation of any actions taken pursuant to S4.F and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period? (S4.F.3.d)	N/A			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
91	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance? (G20)	Y			
92	Notified Ecology immediately in cases where the Permittee becomes aware of a discharge from the Permittees MS4 which may cause or contribute to an imminent threat to human health or the environment? (G3)	N/A			
93	Attached a summary of identified barriers to the use of low impact development (LID) and measures to address the barriers (Required to be submitted by March 31, 2011, S9.E.4.a)	Y		The City of Sammamish has adopted an LID ordinance.	
94	Attached a report describing LID practices currently available and that can be reasonably implemented, potential or planned non-structural actions and LID techniques to prevent stormwater impacts, goals and metrics to identify, promote, measure LID; and schedules to require and implement non-structureal and LID techniques on a broader scale (Required to be submitted by March 31, 2011, S9.E.4.b)	Y			